Total Pages

PTO/SB/05 (12/97)
Please type a plus sign (+) inside this box 

Approved for use through 09/30/00 OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Attorney Docket No.

# UTILITY PATENT APPLICATION **TRANSMITTAL**

00-5487 First Named Inventor or Application Identifier

LAWSON, WILLIAM

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Express Mail Label No. EL497345674US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	Assistant Commissioner for Patents ADDRESS TO: Box Patent Application Washington, DC 20231						
See MPEP chapter 600 concerning utility patent application contents.  1.	Washington, DC 20231  6. Microfiche Computer Program (Appendix)  7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)  a Computer Readable Copy  b. Paper Copy (identical to computer oppy)  c. Statement verifying identity of above copies  ACCOMPANYING APPLICATION PARTS  8. Assignment Papers (cover sheet & document(s))  9. 37 CFR 3.73(b) Statement (when there is an assignee)  10. English Translation Document (if applicable)  11. X Statement (IDS)/PTO-1449 Copies of IDS Citations  12. Preliminary Amendment  13. X Return Receipt Postcard (MPEP 503) (Should be specifically itemized)  14. X Small Entity Statement filed in prior application, Status still proper and desired  15. Certified Copy of Priority Document(s) (if foreign priority is claimed)  16. Other:						
accompanying application and is hereby incorporated reference therein.	БУ						
17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:  Continuation Divisional Continuation-in-part (CIP) of prior application No:							
18. CORRESPON	DENCE ADDRESS						
Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here)							
William M Hobby III							
NAME WITTEGET TO TOUR THE							
ADDRESS 157 E. New England Avenu	e, #375						
CITY Winter Park STATE	FL ZIP CODE 32789						
COUNTRY U.S.A. TELEPHON	E (407) 644-8888 FAX (407) 645-3200						

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

# IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re Patent Application of

WILLIAM LAWSON

For: OUTBOARD JET DRIVE BOAT

Box Patent Applications Commissioner of Patents & Trademarks Washington, D.C. 20231

SIR:

# CERTIFICATE OF MAILING UNDER 37 CFR 1.10

The above-identified patent application enclosed herewith is being mailed by Express Mail No. EL497345674US on August 9, 2000.

Respectfully submitted,

William M. Hobby, III Registration #24,167

157 E. New England Avenue Suite 375 Winter Park, FL 32789 (407) 644-8888



THE POST SECTION STATES SETTING THE SECTION SE

PTO/SB/09 (12-97)
Approved for use through 9/30/00 OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27(b))INDEPENDENT INVENTOR	Docket Number (Optional) 00-5487
Applicant, Patentee, or Identifier: WILLIAM LAWSON	
Application or Patent No.:	
Filed or Issued:	·- <del>-</del>
Title: OUTBOARD JET DRIVE BOAT	
As a below named inventor, I hereby state that I qualify as an independent inventor for purposes of paying reduced fees to the Patent and Trademark Office described	or as defined in 37 CFR 1.9(c) d in:
the specification filed herewith with title as listed above.	
the application identified above.	
the patent identified above.	
I have not assigned, granted, conveyed, or licensed, and am under no obligation of grant, convey, or license, any rights in the invention to any person who would not que under 37 CFR 1.9(c) if that person had made the invention, or to any concern which business concern under 37 CFR 1.9(d) or a nonprofit organization	alify as an independent inventor ch would not qualify as a small
Each person, concern, or organization to which I have assigned, granted, convey obligation under contract or law to assign, grant, convey, or license any rights in t	ed, or licensed or am under an he invention is listed below:
No such person, concern, or organization exists.	
Each such person, concern, or organization is listed below.	
Separate statements are required from each named person, concern, or organization stating their status as small entities. (37 CFR 1.27)	on having rights to the invention
I acknowledge the duty to file, in this application or patent, notification of any chan entitlement to small entity status prior to paying, or at the time of paying, the entitlement to small entity status prior to paying, or at the time of paying, the entitlement to small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is no longer at the status as a small entity is no longer and the status as a small entity is no longer as a small entity is no longer and the status as a small entity is no longer and the status as a small entity is not longer as a s	arliest of the issue fee or any
William Lawson	
NAME OF INVENTOR NAME OF INVENTOR	NAME OF INVENTOR
Made Sen	
Signature of inventor Signature of inventor S	ignature of inventor
8/4/00	
Date Date	Pate

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

# OUTBOARD JET DRIVE BOAT

# BACKGROUND OF THE INVENTION

1 2 3

> 4 5

> 6 7

8

9 10

11

12

13

14 15

16 17

18 19

20

21

22

2324

25 26

27 28

29

30

31

32

33

34

35

This application claims the benefit of U.S. Provisional Application No. 60/149,362, filed August 18, 1999.

The present invention relates to an outboard jet drive boat and especially to an outboard jet drive having an engine and jet drive mounted in a housing which is removably attached to the transom of a boat hull.

There have been several proposed types outboard jet drives for watercraft but most are similar to an outboard motor in which the outboard motor propeller and lower unit have been replaced with a jet drive. The jet drive includes a jet pump in the lower unit that operates so as to provide propulsion force for a watercraft. There are advantages employing jet pumps for propulsion units as opposed to propellers. The jet drive permits operation in shallower water and also the propeller is shrouded and there is less likelihood of injury. There has been a variety of proposed constructions for outboard jet drives for positioning the jet pump in different positions relative to the hull transom and bottom of the transom but in a typical jet drive, the engine and jet drive are located directly in the hull with an opening in the bottom of the hull for capturing water passing under the hull and then utilizing the jet pumps to thrust the water out the rear of the hull to propel the boat. Outboard jet drive units are made similar to typical outboard motors with a motor driving a drive unit which operates a jet drive unit.

Prior art outboard liquid jet propulsion units can be seen in the Nanami U.S. patent, No. 5,536,187, for an outboard jet drive for watercraft in which the

jet propulsion unit is disposed forwardly of the 1 2 transom and beneath the undersurface of the hull for improving its pumping efficiency while the motor is 3 attached to the transom of the boat. In the Jordan U.S. patent, No. 4,459,117, a liquid jet propulsion 5 6 unit is driven by a conventional outboard motor. drive of the motor directly rotates an impeller which 7 8 draws water into the impeller chamber and through an outlet chamber and nozzle to drive the craft forward. 9 the Miyamoto U.S. patent, No. 4,457,724, 10 apparatus for driving a surfboard includes an internal 11 combustion engine mounted in a box which is mounted on 12 the rear portion of the surfboard. A water jet 13 propelling device is driven by the internal combustion 14 engine for propelling the surfboard. The exhaust gas 15 the water jet propelling 16 in device positioned in the box. In the U.S. patent to Boyer et 17 al., No. 4,942,838, an inflatable watercraft has a 18 19 portable engine package. The engine package includes an internal combustion engine mounted in a thin 20 fiberglass hull. The base plate of the hull includes 21 a water inlet scoop for feeding water to the pump and 22 an exhaust port for exhausting the water. The pumps 23 high pressure water outlet is pointed in the aft 24 direction above the water line to propel the craft by 25 the reaction force resulting from the high velocity 26 27 water jet. In the F.C. Clark U.S. patent, 3,055,175, marine propulsion unit takes 28 a 29 conventional outboard motor and replaces the prop unit with a marine jet motor using a pump to issue a jet of 30 water to propel a boat. The Parker U.S. patent, No. 31 32 5,356,319, is for a boat with a removably inboard jet propulsion unit in which the integral jet power unit 33 34 is encased in a waterproof housing and positioned in

a well located in the hull and is mounted to be removed from the hull.

The present invention is directed towards an outboard jet boat in which the main fuel tank and controls are mounted within the hull of a boat while the outboard jet drive unit is mounted in a housing with an engine and is removably attached to the transom of the boat. The fuel tank and controls are connected between the hull and outboard drive through quick disconnect couplings. The housing is shaped to support an engine on a platform directly over the jet drive unit for actuating the jet drive unit through a clutch mechanism with the engine and jet drive positioned parallel to each other.

14 15 16

1 2

3 4

5 6

7

8

9

10

11 12

13

#### SUMMARY OF THE INVENTION

17 18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33 34

An outboard jet drive boat apparatus has a boat hull having a transom and having a removably attached outboard jet drive attached to the transom. outboard jet drive includes a housing sealed against the intrusion of water and has an engine mounting platform therein having an engine mounted thereon on flexible engine mounts. The housing has a sealable entrance through the top thereof and is removably attached to the transom of the hull. A jet drive unit is attached in the housing below the engine supporting platform and extends generally parallel to the engine from the front of the housing and through the rear of The jet drive unit is operatively the housing. attached to the overhead engine through a clutch mechanism. A main fuel tank is positioned inside the hull and is connected with a fuel line to an auxiliary fuel tank inside the housing and the auxiliary fuel

tank is connected to the engine for feeding fuel to the engine. The fuel pump is mounted in the housing to pump fuel to the engine from the auxiliary fuel tank and from the main fuel tank to the auxiliary fuel tank. Electrical controls are located in the hull and coupled through the housing to the engine to control the engine and jet drive unit. Quick disconnect couplings allow the fuel line and control lines to be rapidly connected and disconnected to the outboard drive unit. 

## BRIEF DESCRIPTION OF THE DRAWINGS

Other objects, features, and advantages of the present invention will be apparent from the written description and the drawings in which:

Figure 1 is a sectional view taken through an outboard jet drive boat in accordance with the present invention;

Figure 2 is a sectional view of an outboard jet drive housing having a jet drive unit mounted therein;

Figure 3 is a rear elevation of the jet drive unit of Figure 2; and

Figure 4 is a block diagram of the connected fuel tanks.

# DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to Figures 1-3, an outboard jet drive unit 10 is shown attached to the hull of a boat 11 on the transom 12. The outdrive unit includes a housing 13 having a platform 14 mounted therein and having a plurality of flexible engine mounts 15 attached to the platform 14. An internal combustion engine 16 is

23

24

25

26

27

28

29

30

31

32

33

34

mounted to the engine mounts 15 on the platform 14. 1 The engine is preferably a diesel engine having a 2 turbocharger with an intercooler. A jet drive unit 17 3 is mounted beneath the platform 14 of the housing 13 4 5 and is attached to the front end 18 of the housing 13. 6 The jet drive unit extends through the rear 21 of the 7 housing, out an opening 20 in the housing 13. drive unit 17 has a water intake 22 and is positioned 8 to be about level with the bottom 23 of the hull 11. 9 A water exhaust 24 extending out the rear of the 10 housing 13. A jet pump 25 is mounted in the jet drive 11 17 for drawing the water thereinto through the jet 12 pump and out the water exhaust 24. The jet drive unit 13 17 is shown below the water line 26 and is supported 14 on brackets 29 on the front 18 of the housing 13. 15 Engine 16 has a belt drive 27 having a clutch 16 mechanism therein for connecting the engine 16 to the 17 drive pulley 28 of the jet drive unit 17. The housing 18 13 is sealed against the intrusion of water thereto 19 and sealed between the platform 14 and the housing 13 20 to prevent water intrusion and to prevent oil or 21 engine antifreeze from escaping therefrom. 22

The top of the housing 30 forms a removable entry portion which is removable from the main part of the housing 31, as shown in Figure 3. The housing 13 with the engine 16 and the jet drive unit 17 mounted therein is attached to the transom 12 of the hull 11 with a pair of brackets 32. Brackets 32 allow the housing 13 to be mounted even with the bottom of the boat hull or higher than the bottom of the boat hull so as to reduce ingression of debris and damage to wildlife. The hull 11 has the main fuel tank 33 mounted therein having a fuel tank inlet 34 and a fuel line 35 extending therefrom through the transom 12 and

to a quick disconnect 36 where it can be quickly 2 coupled or decoupled from an internal fuel line 37 3 located inside the housing 13. The fuel line 37 enters an auxiliary internal fuel tank 38 which has a 4 5 fuel line 40 connected thereto which is connected to 6 a fuel pump 41 for pumping the fuel from the auxiliary 7 fuel tank 38 and from the main fuel tank 33 and into the fuel line 42 where it is fed directly into the 8 9 fuel injectors of the engine 16. A fuel return line 43 is connected to the auxiliary fuel tank 38 and to 10 a de-aerator 44 having a bleed top 45 and having a 11 12 return fuel line 46 from the engine 16 fuel injectors. A battery 47 is shown mounted within the housing 13 13 and is connected through a ground line 48 to the jet 14 15 unit 17. The engine and drive unit controlled through electrical control lines 50 which 16 is connected through a quick electrical connector 51 17 which is a waterproof connector mounted through the 18 19 housing 13 and to the engine 16 and clutch unit 27 to control the operation of the outboard jet drive unit. 20

The rear wall 21 of the housing 13 has a tow bracket 52 attached thereto for attaching a line. The jet drive unit 17 may also have an anti-cavitation plate 53 attached to the exhaust portion 54 of the jet drive unit.

As seen in Figure 4, the main fuel tank 33 having the filler cap 34 is connected through the fuel line 35 to the auxiliary tank 38 having an auxiliary tank opening 55 and having the fuel pump 41 connected through the fuel line 40 from the auxiliary tank 38 and through a line 42 to the fuel injectors and back through a de-aerator 44 from the fuel injectors and through the fuel line 43 back to the auxiliary fuel

21

22

23 24

25

26

27 28

29

30 31

32

tank 38. A breather 45 is connected to the de-aerator unit 44.

In operation, the hull 11 has the fuel tank 33 installed therein along with all the controls and The controls and sensors are connected through the multi-line electrical conductor 50 while the fuel tank 33 is connected through the fuel line 35 The outboard drive unit 10 through the transom 12. can then be attached to the brackets 32 on the transom 12 in a position to align the bottom of the unit with the bottom of the hull 23. Then, merely attaching the quick connect couplings 36 to the fuel line, connects the fuel lines to the outboard jet drive while quick coupling connecting the 51 connects If the unit has to be removed electrical controls. for any reason, it can be disconnected from the brackets 32 by disconnecting the quick couplings 36 and 51 to remove the entire unit. The outboard jet drive unit 10 is made by constructing a waterproof housing 13 mounting the jet drive unit 17 therein underneath the platform 14 and mounting the engine 16 to the engine mounts 15 on the platform 14 and then connecting the belt drive clutch mechanism 27 between the engine 16 and the jet drive unit 17 through the pulley 28.

It should be clear at this time that an improved removable outboard jet drive boat has been provided which forms a permanent part of the boat while allowing the quick disconnection and removal of the entire unit. This provides the advantages of a conventional inboard jet drive unit with an onboard fuel tank and control. However, the present invention

3233

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

2425

26

27

28

29

30

31

- 1 should not be considered limited to the forms shown
- which are to be considered illustrative rather than
- 3 restrictive.

## CLAIMS:

#### I claim:

1

3

4 5

6

7 8

10

11

12

13 14

15

- 1. An outboard jet drive boat comprising:
- 2 a hull (11) having a transom (12);
  - a housing (13) sealed against the intrusion of water and having an engine mounting platform (14) therein and having an engine (16) mounted in said housing (13) supported on said platform (14) and said housing (13) having front and rear sides, and a top and bottom and having a sealable entrance through the top thereof, and said housing (13) being removably attached to the transom (12) of said hull (11);
    - a jet drive unit (17) being attached in said housing (13) below said platform (14) and extending generally parallel to said engine (16), said jet drive unit (17) extending from the rear of said housing (13) and being operatively attached to said engine
- 16 (16) in said housing (13) above said platform (14);
- a main fuel tank (33) positioned inside said hull
- 18 (11) and having a fuel line (35) connecting said main
- fuel tank (33) to said engine (16) for the feeding of fuel from said fuel tank (33) to said engine (16),
- 21 whereby an outboard jet drive (17) and engine (16) are
- removably attached to a boat hull (11) transom (12)
- 23 and isolated in a separate housing (13).
  - 2. An outboard jet drive boat in accordance with claim 1 in which a secondary fuel tank (38) is mounted in said housing (13) and coupled between said main
- 4 fuel tank (33) and said engine (16).

- 3. An outboard jet drive boat in accordance with claim 2 in which said housing (13) has a transom (12) hanging bracket (32) attached thereto and positioned for attaching said housing (13) to said transom (12) of said boat hull (11).
- 4. An outboard jet drive boat in accordance with claim 3 in which said engine (16) is a diesel engine.
- 5. An outboard jet drive boat in accordance with claim 3 including a fuel pump (41) mounted in said housing (13) and coupled to said secondary fuel tank (38).
- 6. An outboard jet drive boat in accordance with claim 5 in which said engine mounting platform (14) has engine mounts (15) attached thereto for supporting said engine (16) thereon.
- 7. An outboard jet drive boat in accordance with claim 6 having engine controls mounted in said boat hull (11) coupled to said engine (16) and jet drive unit (17) for controlling said engine from said hull (11).
- 8. An outboard jet drive boat in accordance with claim 7 in which a jet drive unit (17) is mounted through said housing (13) rear side and attached to said front and rear sides.
- 9. An outboard jet drive boat in accordance with claim 8 having a battery mounted in said boat hull (11) and electrically connected to said engine (16) for starting said engine (16).

- 10. An outboard jet drive boat in accordance with claim 9 in which said engine (16) has monitoring sensors and said boat hull (11) has a plurality of engine instruments mounted therein operatively coupled to said engine sensors to provide sensed engine conditions in said engine instruments in said boat hull (11).
- 1 11. An outboard jet drive boat in accordance with claim 9 having a clutched belt drive (27) operatively connecting said engine to said jet drive unit (17).
- 1 12. An outboard jet drive boat in accordance with claim 11 in which said housing (13) is sealed against the intrusion of water and partially extends into the water when said boat hull (11) is afloat to provide added buoyancy to said boat hull (11).
- 13. An outboard jet drive boat in accordance with claim 12 in which said engine (16) has a sealed engine coolant system whereby the engine cooling is not dependent upon water from the body of water the boat hull (11) is floating upon.
- 1 14. An outboard jet drive boat in accordance 2 with claim 6 in which said engine (16) is mounted to 3 said mounting platform (14) generally parallel to said 4 jet drive unit (17).
- 1 15. An outboard jet drive boat in accordance 2 with claim 14 in which said engine (16) is mounted in 3 a reverse direction to said jet drive unit (17).

- 1 16. An outboard jet drive boat in accordance
- with claim 1 in which said housing (13) is mounted to
- 3 said transom (12) above the hull (11) bottom to
- 4 thereby reduce the ingress of debris.
- 1 17. An outboard jet drive boat in accordance
- 2 with claim 1 in which said platform (14) is sealed to
- 3 said housing (13) to prevent the escape of leaking
- 4 liquids from said engine.
- 1 18. An outboard jet drive boat in accordance
- 2 with claim 9 in which said housing (13) has an
- 3 auxiliary battery mounted therein.

#### OUTBOARD JET DRIVE BOAT

#### ABSTRACT OF THE DISCLOSURE

1 2 3

4

5

6

7

8 9

10

11

12

13

14

15 16

17

18

19

20

21

22

23

24

25


26 27


28


29

30

An outboard jet drive boat apparatus has a boat hull (11) having a transom (12) and having a removably attached outboard jet drive (10) attached to the transom (12). The outboard jet drive (10) includes a housing (13) sealed against the intrusion of water and has an engine mounting platform (14) therein having an engine (16) mounted thereon on flexible engine mounts The housing (13) has a sealable entrance (15).through the top thereof and is removably attached to the transom of the hull (11). A jet drive unit (17) is attached in the housing (13) below the engine supporting platform (14) and extending generally parallel to the engine (16) and extending from the front of the housing (13) out the rear of the housing. The jet drive unit (17) is operatively attached to the overhead engine (16) through a clutch mechanism. main fuel tank (33) is positioned inside the hull (11) and is connected to a fuel line (35) to an auxiliary fuel tank (38) inside the housing (13) and the auxiliary fuel tank (38) is connected to the engine (16) for feeding fuel to the engine (16). pump (41) is mounted in the housing (13) to pump fuel to the engine (16) from the auxiliary fuel tank (38) and from the main fuel tank (33) to the auxiliary fuel tank (38). Electrical controls are located in the hull couple through the housing (13) to the engine controls and controls the engine (16) and jet drive unit (17).







		Attorney Docket Number	ər	00-5487				
_	TION FOR	First Named Inventor	L	AWSON, WILL	IAM			
UTILITY O	R DESIGN	COMPLETE						
PATENT AP	PLICATION	Application Number						
<b>∏</b> Declaration	☐ Declaration	Filing Date	Filing Date					
Submitted OF	Submitted after	Group Art Unit						
with Initial Filing	Initial Filing	Examiner Name						
OUTBOA	ARD JET DRIVE BOA	T						
the specification of whice is attached hereto OR was filed on (MM/I Application Number I hereby state that I have ramended by any amendment is acknowledge the duty to	DD/YYYY) and wareviewed and understand the cent specifically referred to above	as United States s amended on (MM/DD/YYYY) ontents of the above identified sp	ecification	n, including the claim	if applic			
the specification of whice is attached hereto OR was filed on (MM/I.  Application Number I hereby state that I have ramended by any amendmined acknowledge the duty to § 1.56.  I hereby claim foreign prioripatent or inventor's certifical united States of America.	and was reviewed and understand the creent specifically referred to about disclose information which is must be nefits under Title 35, Unit te, or §365 (a) of any PCT intelisted below and have also ide	as United States amended on (MM/DD/YYYY) ontents of the above identified spice.  Inaterial to patentability as defined states Code §119 (a)-(d) or contained application which designentified below, by checking the bion having a filing date before the Foreign Filing Date Pri	ecification in Title 3 § 365(b) nated at	of any foreign applications one country out	if application(state) cation(state) cate or pate ch prior			

[Page 1 of 2]
Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231

Filing Date (MM/DD/YYYY)

08/18/1999

Application Number(s)

60/149,362

Additional provisional application numbers are listed on a

supplemental priority data sheet PTO/SB/02B attached hereto.

Please type a plus sign (+) inside this box	  +

PTO/SB/01 (12-97)
Is sign (+) inside this box 

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

# **DECLARATION** — Utility or Design Patent Application

United States of United States of Information white	of Americ or PCT Int ich is mai	it under 35 U.S.C. 120 c a, listed below and, insi- ternational application in terial to patentability as international filing date o	ofar as the subje the manner prov defined in 37 CF	ect matter rided by th R 1.56 w	of ea e first	ch of the	ne claims of th aph of 35 U.S.(	is applic C. 112, I	ation is acknow	not disclosed ledge the dut	in the prior to disclose
U.S. Parent Application or PCT Parent Number				Parent Filing Date (MM/DD/YYYY)				Parent Patent Number (if applicable)			
		CT international applicat									
		ereby appoint the followinnected therewith.	ng registered pra Customer Numb		) to pr	osecute	this application	n and to	transa	ct all business Place Cust	
			OR	lei L						Number Bai	Code
			Registered pract		name/	registra	ition number lis	ted belo	w L		
	Name	9	Registr Numl				Nam	е		Registration Number	
Willia	m M.	Hobby, III	24,167	7							
Additional r	egistered	practitioner(s) named o	n supplemental l	Registered	Prac	itioner	Information she	et PTO	/SB/02C	attached her	eto.
Direct all correspondence to: ☐ Customer Number or Bar Code Label ☐ Customer Number Or Bar Code C					ress below						
Name	7	William M. Ho	bby, III								
Address	-	157 E. New En	gland Ave	enue,	#37	'5					
Address											
City		Winter Park			s	tate	FL	ZIP	32	789	
Country	7	LS.A.	Telephon	e (4(	17)_	644-	-8888	Fax	(40	7) <u>645–</u>	3200
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.											
Name of So	ole or F	First Inventor:				A petiti	ion has been	filed fo	r this u	insigned inve	entor
Given Name (first and middle [if any])				Family Name or Surname							
Ţ	Villi	am   ( )			Lawson						<b>.</b> .
Inventor's Signature		Maso								Date	8/1/00
Residence: City Ormond Beach		1 State	FL		ountry	U.S.A.	•		Citizenship	us '	
Post Office A	ddress	115 Oak Lane	e	···-							
Post Office A	ddress					<del></del>					
city Ormond Beach FL zi				ZIP	32174 cou			Cou	intry	USA	
Additional	invento	rs are being named o	n thesup	plement	al Ado	ditional	Inventor(s)	sheet(s	) PTO/	SB/02A atta	ched hereto